



Price list

SALONA YACHTS Matoševa 8 • 21210 Solin Croatia Tel.: +385 (0) 21 206 855 Fax.: +385 (0) 21 213 020 info@adboats.hr www.salonayachts.com



PRICE LIST 2012.

salona 44

	Description		Price
	\$alona 44	2	17.580,00
	INTERIOR		
44S100	Interior wood in teak		standa
NC	other options of wood possible on request		extra a
440106	Furniture in light material		9.730,0
	LAYOUT VERSIONS		
445100	Interior layout A: Lshaped kitchen, 3 cabins, 2 heads		stand
440101	Interior layout B: 4 cabins, 2 head		2.900,0
	UPHOL\$TERY		
44\$150	Version Sand (white, beige, grey, blue colour)		stand
440151	Version Verona		310,0
440152	Version Peru		450,0
440153	Version Artificial Leather		310,0
	PACKAGES		
44A001	Launching & Commissioning, includes:		4.700,0
	(Rigging, Crane, Transportation from shipyard to Marina)		
44P002	READY TO \$AIL including ELECTRONIC PACKAGE		14.301,0
		full price	20.430,
44A706	Mainsail, dacron		
	Genoa, dacron, 140%, UV protection		
44A707			
44A710	Lazy bag and lazy jack		
44A710 AE203	3 polyester Mooring Ropes 12 m x 20 mm (Geolon rope)		
44A710			

44A710	Lazy bag and lazy jack		
AE203	3 polyester Mooring Ropes 12 m x 20 mm (Geolon rope)		
AE204.8	8 white air filled Fenders with Lanyards		
44A303	Antifouling (2 layers of primer, 2 layers of antifouling)		
AE502	Shower (hot&cold water) in cockpit (stern)		
AE600	NX2 Salona Pack (NX2 server, nwind transducer, HPC compass, analog wind instrument, 2xMulti con instrument, log/temp transducer and depth transducer TH43)	ntrol	
AE609	NX2 Autopilot System (NX2 Autopilot instrument, Integrated Linear Drive HP-40, Rudder Angle Tro Rotary, Servo Unit A-1510)	Insmitter	
AE413	VHF Antenna		
AE622	VHF station Nexus NX2000		
AE414	GPS Plotter Garmin 720		
44P003	COMFORT PACKAGE		10.276,00 {
		full price	14.680,00 €
44A519	Heating system Webasto Thermo Top 5200 W		
44A505	Teak massive in cockpit		
44A508	Sprayhood (with stainless steel tubes)		
44A701	Harken mast sliding system with Torlon balls		
AE209	Spring mooring Cleats (stainless steel), 2 pcs		
44P004	PERFORMANCE PACKAGE		11.011,00 €
		full price	15.730,00 €
44O206.1	Dynema Running rigging (all halyards)		
44O2O6	Dyneema sheets and ropes with tylaska shackles&fid		
44O200	Keel, lead, bulb 2,55 m draft Racing		
44O205	Performance deck hardware (with upgraded winches, blocks & carbon spi pole)		
	Performance deck hardware (with upgraded winches, blocks & carbon spi pole)		

During Boat Shows ask local dealer for special Boat Show offers. (Advance payment must be within three weeks after Boat Show)

	INTERIOR (extra options)	
44A518	Heating system Webasto Thermo 90 ST 9000 W	6.600,00 €
44A519	Heating system Webasto Thermo Top 5200 W	5.700,00 €
440507	Upgrade engine Yanmar 4JH4CE/SD50 75hp (sail drive)	1.390,00 €
44A517	Air condition Webasto Blue Cool 2x12000 BTU(needs 6 kW generator)	12.500,00 €
44A515	Generator 230V, 3kW Yanmar (inside main engine room)	5.790,00 €
444516	Generator 230V, 6kW Yanmar (inside main engine room)	8.350,00 €
440501	LED lights for interior	820,00 €
440506	Folding table in salon	890,00 €

PRICE LIST 2012.

	Description	Price
	HULL	
440302	Blue Hull - gel coat (Salona Registred colour)	3.300,00
440303	Red Hull - gel coat (RAL 3020)	3.300,00
440304	Gray Hull - gel coat (RAL 7001)	3.300,00
44A301	Coloured Hull - AWLGrip paint (AWLGrip's colour list)	6.500,00
44A302	Antifouling offshore teflon racing	4.100,00
44A303	Antifouling (2 layers of primer, 2 layers of antifouling)	2.650,00
440200	Keel, lead (2,55 m draft) Racing	6.600,00
44A504	3 blade Folding Propeller (flex-o-fold)	760,00
	DECK EQUIPMENT	
440504	Closed Transom Bench with door	2.450,00
440505	Turnable carbon transom bench - Passarela	1.890,00
44A207	Storage for sails on deck (only on 3 cabin layout)	2.890,00
44A505	Teak massive in cockpit	4.300,00
44A506	Teak massive on deck	9.600,00
44A508	Sprayhood (with stainless steel tubes, color navy blue, beige, black, dark red)	1.950,00
44A512	Helmsman bimini (with stainless steel tubes, color navy blue, beige, black, dark red)	1.850,00
44A514	Big bimini with coach roof mainsheet option (with stainless steel tubes, color navy blue, beige, black, dark red)	3.490,00
44A509	Cockpit cushions	600,00
44A510	Sun Cover	770,00
44A513	Cover for steering wheel & GRP navigation instruments panel	220,00
440206	Dyneema sheets and ropes with tylaska shackles&fid	2.200,00
44A200	Anchor Windlass upgrade 1500W-12V	950,00
	MAST & RIGGING	
44A701	Harken mast sliding system with Torlon balls	2.800,00
44A702	Rutgerson sliders for mainsail	980,00
44A202	Spinnaker equipment (Al spi pole with track,sheets, up&down, blocks)	2.850,00
44A203	Gennaker equipment (Al bowsprit,sheets, up&down, blocks)	1.600,00
44A204	Spinnaker Pole Stowage (vertical) on Mast	780,00
44A205	Spinnaker Pole Stowage on deck	720,00
44A206	Spinnaker pole carbon upgrade	1.400,00
440205	Performance deck hardware (with upgraded winches, blocks & carbon spi pole)	5.950,00
440703	Carbon performance mast with rod&tip cups, dyneema halyards, white color	65.000,00
440701	Harken Carbo Foil	1.150,00
	misc	

44A704	Gennaker	3.100,00 €
44A705	Spinnaker	3.400,00 €
44A706	Mainsail, dacron	4.200,00 €
44A707	Genoa, dacron, 140%, UV protection	4.150,00 €
44A708	Upgrade Pentex sandwich Sails	3.090,00 €
44A709	Upgrade Spectra Sails	5.450,00 €
44A710	Lazy bag and lazy jack	550,00 €
440305	"Shakewell" seacocks	1.300,00 €

EX-WORK\$ PRICE IN EURO EXCLUDING VAT.

The prices are subject to change without prior notice. This price list automatically cancels all previously distributed. Please check detailed specification and price with local dealer.

	Description	Price
	HULL	
AE500	Retractable bow thruster DECK	6.900
AE201	Harken electric winch upgrade with additional 170Ah battery (per pcs)	3.250
AE503	Cockpit Light at boom end	340
AE202	3 polyester Mooring Ropes 12 m x 16 mm (Geolon rope)	90
AE203	3 polyester Mooring Ropes 12 m x 20 mm (Geolon rope)	110
AE204	white air filled Fender with Lanyards (per pcs)	2
AE205	Folding Cleats (per pcs)	320
AE501	Teak cockpit Table, removable	1.490
AE502	Shower (hot&cold water) in cockpit (stern)	29
AE208	Spring mooring Cleats (stainless steel), 2 pcs (suitable for S35 i S38)	230
AE209	Spring mooring Cleats (stainless steel), 2 pcs (suitable for S41 i S44)	32
AE206	Steering Wheel 55" (140 cm) Carbon (Suitable for S35, S38)	1.400
AE207	Double Steering Wheel Carbon 2x32" (Suitable for Salona 38, 41, 44)	3.490
AE200	Carbon Rigid Bowsprit with anchor fitting (gennaker equipment included)	3.59
AE211	Keel Outlining INTERIOR	90
AE504	Sea water Foot Pump (in Pantry)	520
OE501	Electric toilet	1.100
AE505	TV with DVD player 19"	990
AE506	Additional fresh water tank 90I (not for \$35)	460
AE507	Additional service battery 170Ah	590
AE508	Inverter 400W	690
AE700	MAST Mast Jack	3.25
	ELECTRONICS	5.25
	ELECTRONIC NEXU\$	
AE601	NX Value pack (two sea data instruments, one NX wind instrument with WSI Box and wired windtransducer,	1.39
AE600	log/temp transducer and depth transducer TH52) NX2 Salona Pack (NX2 server, nwind transducer, HPC compass, analog wind instrument,2x Multi control instrument,	2.34
AE602	log/temp transducer and depth transducer TH43) Nexus NX2 Multi Control instrument	
AE602 AE603	NX2 Remote Control instrument (with Autopilot control), bracket	57 49
AE604	NX2 Kenote control instrument (with Adtophot control), blacket	69
AE604 AE605	NX2 Digital Compass instrument	57
AE606	NX2 GPS Navigator instrument	570
AE607	NX2 Analog Steer Pilot instrument	45
AE608	NX2 Analog Rudder Angle instrument	45
AE609	NX2 Autopilot System (NX2 Autopilot instrument, Integrated Linear Drive HP-40, Rudder Angle Transmitter Rotary,	3.01
12005	Servo Unit A-1510)	5.01
A E (10	ELECTRONIC NEXU\$ NXR	75
AE610	NXR Multi Control instrument, inverted LCD or Standard LCD	75
AE611 AE612	NXR XL 20 Instrument NXR XL30 Instrument	1.05
AE612	NXR Analog AWA Wind	1.35
	· .	
AE614 AE615	NXR Analog TWA Wind NXR Analog Steer Pilot	49
AE616	NXR Analog Speed Trim	49
AE617	NXR Analog Speed min	49
AE618	NXR Network Cable 180° 15m	
AE619		1.05
AE619	NXR Solid state log transducer with connection box PC connection kit with USB connection	90
AE620	VHF NX2500 + Navtex antenna NX2600	39
AE622	VHF NX2000 Grey/Black Fixed mount with DSC	29
AE623	Single Carbon Fibre mast bracket for one NX2, Nexus or Multi XL or XL20 (black)	29
AE624	Double Carbon fibre mast bracket for two NX2, Nexus or Multi XL or XL20 (black)	45
AE625	Tripple Carbon fibre mast bracket for three NX2, Nexus or Multi XL or XL20 (black)	55
AE626	Quadruple Carbon Fibre mast bracket for four NX2, Nexus or Multi XL or XL20 (black)	68
	ELECTRONIC RAYMARINE	00
AE400	Raymarine package (2xmultifunction display i70, transducers (wind, speed/depth), GPS plotter e7, SPX10 autopilot	
	system with control display, Ray 49E VHF station)	7.89
AE401	Multifunction display i70	85
AE402	transduscers (wind, speed /depth) suitable for i70	1.41
AE403	Wind instrument system Raymarine ST60 (A22012) Trideta (Speed/Depth/Leg) instrument system Raymarine ST 60	1.01
AE404	Tridata (Speed/Depth/Log) instrument system Raymarine ST 60 Raymarine CDS Diattor, Fao	97
AE405 AE409	Raymarine GPS Plotter E90 Autopilot Raymarine SPX10 (P70 display included)	3.70
AE409 AE408	Ray 49E VHF station	3.90 39
AE408	Raymarine GPS Plotter e7	1.89
AE407	Raymarine GPS Plotter C90	2.89
AE406	Autopilot Raymarine with SmartPilot X-30 (P70 included) (suitable for Salona 44)	4.90
AE411	Raymarine Radar Radome Antenna 4kW 18"	2.10
AE412	Ray240E VHF station with foghorn	91
AE003	ELECTRONIC RACING TACKTICK - possible on request	
AE210	mise Pedestal for instruments on consoles	100
AE210 AE413	VHF Antenna Glomex	1.98 14
AE415 AE509	Audio package 1: CD/Radio Marine + 2 Speakers in Saloon 2	76
AE510	2 Waterproof Speakers in cockpit	26
AE510 AE511	Inflatible boat Salona230 with soft bottom	85
AE512	Inflatible boat Salona260 with hard bottom	1.10

CONSTRUCTION

Hull& Deck

Vacuum infused epoxy based vinyl ester GRP White (isophtalic) gelcoat with black decorative bands Optimal strength/weight ratio - achieved by using triaxial glass fibers 20mm Sandwich construction above water line Reinforcements in stainless steel bonded to the hull with structural glue transferring loads from mast and keel. Stress areas (where winches and major deck fittings are fixed) reinforced by replacing PVC core with plywood or aluminum

Deck to Hull joining

Hull and deck are bonded with Methyl-Methacrylate structural glue The (teak) toe rail is bolted through deck and hull flange

DECK EQUIPMENT

Stainless steel bow fitting (with anchor/chain roller) Stainless steel chain plates Self-draining anchor/chain locker 10 stainless steel stanchion bases

Cockpit

8 mm teak ribs/massive on cockpit seats and side trims Two storage lockers in mid cockpit, dedicated life raft for fast deploying Dry stowage locker on ps & stbd side Outboard drained two gas bottles (ps) compartment Rudder stock head (for installing the emergency tiller) Single lever engine control Recessed engine controls panel

Mast

Sparcraft Performance silver anodized aluminum keel stepped mast fractional Triple swept back (approx. 20°) spreaders in aluminum The mast step bolted to the bottom inox reinforcement

Boom

Sparcraft's silver anodized aluminum boom Two (internal) reef lines for single line reefing system; one clew outhaul device The gas pressured boom vang with an outer purchase block system

Standing rigging

Discontinuous stainless steel rigging in duplex steel rod includes: Thru deck Harken MKIV Genoa Furler Navtec hydraulic backstay adjuster/tensioner

Running rigging

All halyards, reef lines, tensioners and control lines are led to the cockpit (winches) The standard mast includes:

- 1 x main halyard
- 1 x genoa halyard
- 1 x boom topping lift

Sheets & ropes:

- -1 x main sheet
- 2 x main sheet traveller car control
- 2 x genoa sheet
- 2 x genoa sheet car control
- 1 x genoa furling line
- 1 x vang
- 2 x reefing line
- 1 x outhaul

Track system

Harken main sheet track (2,1 m) on cockpit sole, 6:1 traveler system Harken genoa sheet tracks (2 x 3m), 5:1 genoa car system

Blocks (by Harken)

Mainsheet system

- 3 x Single 75 mm BM
- 2 x Single 57 mm BM
- -1 x Double 75 mm BM

Halyards

- 10 x Single 75 mm ESP

Vang

- 1 x Single 57 mm BM - 1 x Single 75 mm BM

Deck organizers (by Harken)

- 2 x ESP/4-sheave
- 2 x ESP/2-sheave

Stoppers (Clutches)

- 12 x Spinlock clutches - for halyards, reef lines, vang and furling headstay line placed on cabin roof Spinlock clutch - placed by (stbd side) toe rail - for genoa furling line

Winches

- 4 Harken halyard 2-speed radial winches, size 46.2, placed on cabin roof 2 Harken primaries/genoa sheet 2-speed winches, size 53.2 3 winch handles with PVC handle holders
- 3 winch handles with PVC handle holders

SHIP EQUIPMENT

Steering system

Double Steering wheel black anodized aluminum with leather 800mm Emergency tiller in stainless steel

Keel

Standard keel II (2,11 m draft) consists of a cast iron fin The cast iron fin is protected with a layer of Epoxy primary protection

Navigation/Communication Equipment

Magnetic compass

Magnetic compass Navigation lights (bow port, bow stbd, stern), running light, anchor light, deck light

Anchoring & Mooring Equipment

Anchor (galvanized), 20 kg Anchor Chain (galvanized), 50 m x 8 mm Anchor Windlass, 1000W-12V 4 x Mooring stainless steel Cleat with Fairlead

EQUIPMENT FOR CREW/PASSENGERS

Eight low profile openable Portlights on the sides with two openable Portlights in the cockpit Six low profile deck Hatches Fixed deck Hatch (12 mm plexi glass) on Cabin roof 2 deck Ventilators placed on Saloon top Stainless steel Stanchions & Lifelines Stainless steel Handrails on the Cabin roof Removable stainless steel Bathing Ladder 2 fire Extinguishers

INTERIOR: Furniture, Inventory

Standard interior layout (A): 3 cabins and 2 Head units Interior Joinery: marine grade water proof core, faced with selected furniture All main Bulkheads are bonded to Hull (Sides) and Deck Invisible Hull sides, Bottom, Bilge etc. are topcoated All windows are equipped with curtains except aft cabins Portlights which are supplied with push button blinds

Cushions

Cushions are made in high quality foam with beige upholstery

OWNER'S (FORWARD) CABIN

Large double Berth towards fwd Mattress in 2 parts Access to stowage Lockers under Berth Double Wardrobes (port & stbd side) with Shelves and Hangers Fresh Water tank under Berth

FORWARD HEAD UNIT

GRP Wash Basin Kerrock wash basin Boards Separate shower area with plexi Hot&cold fresh water mixing taps - mixing tap on port side also with shower unit Shower directly drained by electric pump Water-flushed manual pump marine Toilet Front opening double Locker - placed above wash basin - with Mirrors mounted on fronts Wet Locker for drying of wet sailing cloth Teak shower Grating optional

AFT CABIN ((STBD & PORT)

Double Berth with Shelve above bed along Hull side Mattress in 2 parts Large hanging Locker with double door and Shelve above Seat forming shoe Locker Fuel tank under Berth - aft Cabin stbd Fresh Water tank under Berth - aft Cabin port

AFT HEAD UNIT

GRP Wash Basin Kerrock wash basin Board Separate shower area with Curtain Hot&cold fresh water mixing taps Shower directly drained by electric pump Water-flushed manual pump marine Toilet Front opening double Locker (with Mirrored doors) placed above toilet/shower seat Locker above wash basin closing the space for Waste holding tank

Waste holding tank (app. 40 I) fitted with tank level Watch, deck Outlet Teak shower Grating optional

SALOON

Large U-shaped settee to Hull stbd side Upper Cabinet sections with doors along Hull side Handrails mounted on top-sides and ceiling Bookshelve ("Library") above settee Stowage Lockers under seats and behind backrests

GALLEY

L- shaped Galley with compact work top Twin stainless steel rectangular sinks Mixing tap for pressurized hot&cold fresh water Gas stove (on gimbals) with an oven and three burners 70 L GRP refrigerator & WAECO C50 refrigerator Storage Lockers - with shelves and doors - above work top along Hull side Storage - with shelve and door - below sinks; Waste Basket mounted on Storage door Handrail mounted on bulkhead between Galley and aft Head

COMPANIONWAY

Gas springed openable stairs as Engine Compartment cover

ENGINE COMPARTMENT

Sound insulated with high density foam material Easy accessible through opening the Companionway stairs and/or removing the side (provided in both aft cabins) Provided with Automatic Fire Extinguisher

SANITARY SYSTEMS; DISCHARGE SYSTEMS

Hot&cold pressurized fresh water system 1 ventilated Fresh water tanks for a total capacity of app. 200 I with inspection holes/covers Tank level gauge(s) (placed on electric switchboard) Mixing fresh water taps are fitted in both Head units and in the Galley Shower with hot&cold fresh water can be fitted in Cockpit (stern) - see additions Hot water tank heated by integrated heater run with 220V shore power or by engine cooling (fresh) water Shower basins are drained direct into the sea by electric shower pumps Electric shower pumps are operated by manual switch positioned in Shower Compartments

MACHINERY MAIN COMPONENTS

Yanmar 4JH4CE/SD50 55hp (sail drive) Two blade folding propeller Alternator 60A/12V Engine control panel incorporates an rpm meter, acoustic alarms and an hour counter as a standard Engine control panel is placed in a recess and protected with a plexi glass cover Gear/gas lever control is placed in Cockpit nearby helmsman

SYSTEMS FOR MACHINERY MAIN COMPONENTS

1 Fuel oil tank for a total capacity of app. 210 l Tank inspection hole/cover with incorporated fuel float Tank level gauge (placed on electric switchboard) Fuel oil Filter with water Separator Automatic Fire Extinguisher in Engine compartment

SHIP SYSTEMS

Bilge systems

Electric membrane bilge pump , operated by automatic and/or manual switch Electric bilge pump for aft bilge operated by automatic and/or manual switch Hand operated bilge pump is positioned in the Cockpit

Electrical systems

12 V DC SYSTEM

Main Switchboard includes LED indicators and termomagnetic switches 12 V sockets Battery Charger Quick 12V 40A 1 x 12V 100 Ah engine start Battery 2 x 12V 100 Ah service Batteries Battery Switch for each battery Safety battery protector Anode Emergency start crossover system

230 V AC POWER SUPPLY

230 V AC Distribution board Main Circuit Breaker 230 V AC sockets Shore Power dock side Cable